



STRUDCO

SERVICES AND TRADING



BENEFITS OF EPDM PROFILES

Widely used in sealing techniques

Extreme weather conditions (-40°C-120°C)

Largely used in windows & doors

Good sealing conditions in hot, cold & rains

STRUDCO Services LLP

Structural Services & Trading


Punalur, Kerala, India

Tel: +91 475 296 4629, +91 475 222 4629 Ph: +91 799 444 3312


E-mail: info@strudco.com, support@strudco.com

Website: www.strudco.com


LESSO PROFILES




SD 113



SD 114




SD 115




SD 116


VEKA PROFILES




SD 117



SD 118




SD 119




SD 120


KOMMERLING PROFILES




SD 121



SD 122




SD 123



SD 124


REHAU PROFILES




SD 125



SD 126




SD 127




SD 128


LG PROFILES



SD 129



SD 130




SD 131




SD 132


Kinbon Profile




SD 401



SD 402




SD 403




SD 404

Different Type of Mesh Rubbers




SD 201 (4.5mm Mesh)




SD 202 (6.5mm Mesh)




SD 203 (5.5mm Mesh)




SD 204 (5.0mm Mesh)




SD 205 (5.5mm Mesh)




SD 206 (5.2mm Mesh)




SD 207 (7.0mm Mesh)




SD 208 (6.0mm Mesh)




SD 209 (6.0mm Mesh)




SD 210 (4.5mm Mesh)




SD 211 (4.2mm Mesh)




SD 212 (6.5mm Mesh)




SD 213 (4.0mm Mesh)




SD 214 (6.3mm Mesh)




SD 215 (4.5mm Mesh)



SD 216 (6.5mm Mesh)




SD 301




SD 302




SD 303




SD 304




SD 305




SD 306




SD 307




SD 308




SD 309




SD 310




SD 311




SD 312




SD 313




SD 314




SD 315




SD 316




SD 317



SD 318




SD 319




SD 320



SD 220




SD 221



SD 222




SD 223




SD 224




SD 225




SD 226




SD 227




SD 228




SD 229




SD 230




SD 231




SD 232




SD 233




SD 234




SD 235




SD 236




SD 237




SD 238




SD 239




Rubber Seal
for expansions joints




FLOCK CHANNEL



CO-EXTRUSION




SOLID




ELECTRICAL




PIPE CLAMPING




BUS BODY BUILDING




ALUMINIUM DOORS, WINDOWS & UPVC PROFILE





SOLID



SPONGE





AN ISO 9001:2015 CERTIFIED

STRUDCO

SERVICES AND TRADING

STRUDCO Services LLP

Structural Services & Trading

Punalur, Kerala, India

Tel: +91 475 296 4629, +91 475 222 4629

Ph: +91 799 444 3312

E-mail: info@strudco.com, support@strudco.com

Website: www.strudco.com